



MERITECH, INC.

ENVIRONMENTAL LABORATORIES

October 10, 2019

In reply to: Quote Request: RFP Laboratory Services – Water Reclamation Division – TZ Osborne Plant

Meritech Inc. will accept the City of Greensboro Standard Terms & Conditions as provided in Attachment A of the RFP

Thank you, for considering Meritech, Inc. for your testing needs. Please accept the following proposal submitted by Meritech, Inc.

Meritech, Inc. is currently serving the City of Greensboro for the majority of their laboratory subcontracting needs.

Should you have any question or require further information please feel free to contact me at your convenience.

Regards,

David Merritt
Vice President

Meritech, Inc.

336-317-5938: Cell

336-342-4748: Office

642 Tamco Rd.

Reidsville, NC 27320

david.merritt@meritechlabs.com

www.meritechlabs.com

Parameter	Reporting Limit (mg/L)	Method	Quantity	Cost Per Test	Cost Per 3 Year
Total Dissolved Solids	10	SM2540C	6	\$15.00	\$90.00
TKN	0.2	EPA 351.2	192	\$22.00	\$4,224.00
Nitrate/Nitrite, Nitrogen	0.10	EPA 353.2	192	\$15.00	\$2,880.00
Total Nitrogen		EPA 353.2	192	\$0.00	\$0.00
Hardness, total	1	SM 2340B	180	\$22.00	\$3,960.00
Cyanide, total (LTMP, Industry+)	0.005	EPA 335.4	276	\$28.00	\$7,728.00
Cyanide, amenable	0.005	EPA 335.1	18	\$56.00	\$1,008.00
Oil & Grease, HEM	5	EPA 1664	18	\$30.00	\$540.00
Phenols, total	0.010	EPA 420.1	6	\$25.00	\$150.00
Bromide	0.01	EPA 200.8	864	\$25.00	\$21,600.00
Bromide Collect			864	\$0.00	\$0.00
Antimony, total (LTMP, Industry)	0.025/ 0.0005	EPA 200.7/200.8	42	\$11.00	\$462.00
Arsenic, total (DS, Industry)	0.010/ 0.0020	EPA 200.7/200.8	66	\$11.00	\$726.00
Beryllium, total (DS, LTMP)	0.005/ 0.0005	EPA 200.7/200.8	72	\$11.00	\$792.00
Cadmium, total (DS, Industry)	0.002/ 0.00015	EPA 200.7/200.8	264	\$11.00	\$2,904.00
Chromium, total (DS, Industry)	0.005/ 0.0020	EPA 200.7/200.8	264	\$11.00	\$2,904.00
Copper, total (DS, Industry)	0.002/ 0.0020	EPA 200.7/200.8	264	\$11.00	\$2,904.00
Cobalt, total (LTMP, Industry)	0.005/ 0.0020	EPA 200.7/200.8	42	\$11.00	\$462.00
Lead, total (DS, Industry)	0.010/ 0.0005	EPA 200.7/200.8	264	\$11.00	\$2,904.00
Mercury, total (DS, Industry)	0.0002	EPA 245.1	104	\$20.00	\$2,080.00
Mercury, Low Level	1 ng/l	EPA 1631	72	\$140.00	\$10,080.00
LL Hg Sampling			72	\$125.00	\$9,000.00
Molybdenum, total (DS)	0.005/ 0.0020	EPA 200.7/200.8	36	\$11.00	\$396.00
Nickel, total (DS, Industry)	0.010/ 0.0005	EPA 200.7/200.8	264	\$11.00	\$2,904.00
Selenium, total (DS, Industry)	0.010	EPA 200.7/200.8	264	\$11.00	\$2,904.00
Silver, total (DS, Industry)	0.005/ 0.0005	EPA 200.7/200.8	264	\$11.00	\$2,904.00
Thallium, total (LTMP)	0.020/ 0.0005	EPA 200.7/200.8	36	\$11.00	\$396.00
Tin, total (LTMP, Industry)	0.025/ 0.0020	EPA 200.7/200.8	42	\$11.00	\$462.00
Titanium, total (LTMP, Industry)	0.005/ 0.0020	EPA 200.7/200.8	42	\$11.00	\$462.00
Vanadium, total (LTMP, Industry)	0.040/ 0.010	EPA 200.7/200.8	42	\$11.00	\$462.00
Zinc, total (DS, Industry)	0.010/ 0.005	EPA 200.7/200.8	264	\$11.00	\$2,904.00
EPA 624 (LTMP, Industry)	-	EPA 624	24	\$110.00	\$2,640.00
Acetone	-	EPA 524.2	18	\$100.00	\$1,800.00
EPA 625 - BNA (LTMP, Industry)	-	EPA 625	24	\$225.00	\$5,400.00
Carbazol	-	EPA 625	6	\$225.00	\$1,350.00
n-decane	-	EPA 625	6	\$0.00	\$0.00
n-octadane	-	EPA 625	6	\$0.00	\$0.00
o-cresol	-	EPA 625	6	\$0.00	\$0.00
p-cresol	-	EPA 625	6	\$0.00	\$0.00
EPA 1666	-		18	\$950.00	\$17,100.00
EPA 1667	-		18	\$600.00	\$10,800.00
1,4 dioxane	<1 ug/l	EPA 624.1	72	\$100.00	\$7,200.00
PFAS	-	SW-846 8015B	86	\$250.00	\$21,500.00
TCLP, Sludge	-	EPA 1311	3	\$995.00	\$2,985.00
TCLP, Ash	-	EPA 1311	3	\$995.00	\$2,985.00
BTU			36	\$75.00	\$2,700.00
Chronic Toxicity, <i>Ceriodaphnia dubia</i> , 5 dilution	-		12	\$695.00	\$8,340.00
Chronic Toxicity, <i>Pimephales promelas</i>	-		4	\$1,000.00	\$4,000.00
PPA			12	\$650.00	\$7,800.00
Jordan Lake - See Below**	-	-	72	\$942.50	\$67,860.00
TOTAL - 3 years	-	-			\$255,652.00